

The
STRAINRITE
Companies World Class
Filtration

WHITE PAPER

LIQUID FILTRATION IN YOGURT
PROCESSING: ADVANCING
QUALITY, EFFICIENCY, AND
SUSTAINABILITY

SUMMARY

The global yogurt market has experienced tremendous growth, driven by increasing consumer demand for healthy, protein-rich dairy products. This expansion has created significant opportunities for filtration solution providers like Strainrite Companies to supply innovative liquid filtration technologies that enhance product quality, improve operational efficiency, and support sustainability goals in yogurt manufacturing. This white paper examines the critical role of liquid filtration in yogurt production, presenting key challenges, technological solutions,


and best practices that position Strainrite Companies at the forefront of this rapidly evolving industry.



1 FILTRATION'S IMPACT ON PRODUCT QUALITY AND SAFETY

CONSISTENCY AND TEXTURE

Modern yogurt production requires exceptional consistency in texture and mouthfeel. Advanced filtration technologies—especially membrane filtration—enable precise control over protein concentration and the removal of unwanted particles. Ultrafiltration is particularly effective, retaining all proteins while allowing lactose and mineral salts to pass, ensuring a smooth, uniform texture and maintaining the yogurt's nutritional profile.



SHELF LIFE EXTENSION


Filtration extends yogurt shelf life by reducing microbial contamination during production. Microfiltration systems remove bacteria, spores, and other microorganisms, enhancing product safety and reducing reliance on chemical preservatives. This supports clean-label product development and meets consumer expectations for minimally processed foods.

CLEAN-LABEL PRODUCTION

Driving demand for products free from synthetic additives. Modern filtration allows manufacturers to achieve desired product characteristics naturally, without artificial additives or milk powder supplements. Ultrafiltration and reverse osmosis help optimize protein and fat content, enabling cleaner labels and fewer ingredients.

Amount Per Serving	Calories	% Daily Value
Calories 310		
Total Fat 7 g		20%
Saturated Fat 4 g		
Trans Fat 0 g		
Polyunsaturated Fat 1 g		
Monounsaturated Fat 0 g		
Cholesterol 15 mg		
430 mg		
90 mg		

2 INNOVATIVE TECHNOLOGIES FOR INDUSTRY CHALLENGES



MEMBRANE FOULING SOLUTIONS

Membrane fouling, particularly when filtering acidified products, is a major challenge. Applying ultrafiltration before fermentation (rather than after) maintains consistent permeation flux and prevents permanent fouling, ensuring energy consumption remains stable and product quality is maintained. Effective Clean-in-Place (CIP) procedures and pre-filtration steps further enhance system reliability and reduce maintenance.

HYBRID FILTRATION SYSTEMS

Hybrid systems combine various filtration technologies to optimize performance, cost, and footprint. For example, spiral wound membranes can be used for low solids concentrations, followed by plate-and-frame membranes at higher concentrations. Strainrite's MADD-MAXX filters exemplify this approach, offering the dirt-holding capacity of bag filters with the efficiency of cartridge systems, ideal for high-purity applications.



3 SUSTAINABILITY AND RESOURCE MANAGEMENT



WASTE REDUCTION

Advanced filtration enables significant waste reduction by separating valuable components for recycling and reuse. In Greek yogurt production, ultrafiltration before fermentation can eliminate acid whey generation, addressing a major environmental concern. Filtration systems can also recover biogas from wastewater, providing green energy and supporting sustainability goals.

WATER RECLAMATION

Modern filtration systems enable the recovery and reuse of large volumes of process water, reducing fresh water consumption and wastewater discharge. Technologies such as cow water reclamation capture water vapor during milk processing, which can be reused after minimal treatment, also recycling heat energy and reducing overall energy consumption



ENERGY & COST SAVINGS

Efficient filtration systems deliver substantial energy and cost savings. Smart technologies optimize cleaning processes, reducing pump energy consumption and maintenance. While antifouling membranes may have higher upfront costs, they offer long-term savings through reduced cleaning frequency and longer membrane life.

4 REGULATORY & MARKET CONSIDERATIONS

COMPLIANCE

Filtration technologies help yogurt manufacturers meet stringent food safety and quality regulations. Recent FDA updates to yogurt standards emphasize acidity requirements and product safety. Plants must comply with the Pasteurized Milk Ordinance, and filtration systems must support these compliance needs while maintaining efficiency.





MEETING CONSUMER DEMAND

Advanced filtration supports the production of protein-rich, lactose-free, and specialty yogurts, aligning with consumer preferences for clean-label, minimally processed foods. The ability to achieve desired characteristics without additives positions manufacturers competitively in a dynamic market.

HERE ARE SOME OF STRAINRITE'S LIQUID FILTRATION PRODUCTS SUITABLE FOR YOGURT PROCESSING:

Pur-MAXX SG / Mem-Pleat SG Sterilizing Grade Polyethersulfone



Strainrite's Sterilizing Grade Pleated Polyethersulfone Membrane Cartridges are engineered to meet the highest standards of microorganism control for sterile fluids. These filter elements are validated for complete removal of *Brevundimonas diminuta* (ATCC 19146) at test concentrations of 107 CFU/cm² (Colony Forming Units).

Poly-MAXX Polypropylene Pleated Depth Cartridges



Strainrite's *Poly-MAXX*, all-Polypropylene, filter cartridges are designed to optimize throughput while achieving absolute and repeatable effluent quality. Our filter media is constructed on the latest continuous Micro-Fiber blowing equipment that accurately controls fiber diameter and integrity. Utilizing state-of-the-art on-line monitoring equipment,



MAXX Flow - Large Diameter Pleated Depth Cartridges

Maxx Flow - Strainrite's large pleat geometry filter is well known that inside out flow elements have higher holding capabilities and offer hygienic superiority over typical outside-in fluid filtration filters. The Maxx Flow filters unique large pleat geometry makes it capable of handling up to 500gpm in a 60" length, which is a perfect solution for high flow rate applications.



CONCLUSION:

The yogurt manufacturing industry presents significant opportunities for advanced filtration technologies to improve product quality, sustainability, and regulatory compliance. By leveraging innovation in membrane systems, and hybrid technologies, Strainrite Companies can position itself as a strategic partner to yogurt manufacturers seeking to optimize operations and meet evolving market demands. The convergence of consumer preferences, regulatory requirements, and sustainability goals creates a compelling case for investment in advanced filtration solutions.

Strainrite Corporate Headquarters
65 First Flight Drive
Auburn, ME 04210

Tel: 207-376-1600
Fax: 207-777-3177
email: info@strainrite.com

The
STRAINRITE
Companies World Class
Filtration